

# CERTIFICATE

<b>Certificate holder</b>	<b>GUTEX Holzfaserplattenwerk H. Henselmann GmbH + Co KG Gutenberg 5 79761 Waldshut-Tiengen GERMANY</b>
<b>Production facility</b>	Waldshut-Tiengen
<b>Product</b>	Thermal insulation products for buildings
<b>Type, Model</b>	Multiplex-top Wood-fibre thermal insulation board
<b>Testing basis</b>	DIN EN 13171:2015-04 DIN EN 13172:2012-04 European Insulation KEYMARK Scheme for Thermal Insulation Products (2016-11)
<b>Mark of conformity</b>	
<b>Registration No.</b>	011-7D095
<b>Valid until</b>	2020-03-31
<b>Nutzungsrecht</b>	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number.

See annex for further information.

# ANNEX

Page 1 of 1

<b>Certificate</b>	011-7D095 dated 2018-06-21
<b>Technical Data</b>	Designation code in accordance with DIN EN 13171: WF-EN 13171-T5-CS(10/Y)200-TR30-WS1,0-AFr100-MU3  Declared thermal conductivity: 0,044 W/(m*K)  Reaction to fire: Euroclasse E  Thickness: 18 mm - 35 mm
<b>Testing laboratory/ Inspection body</b>	Materialprüfungsanstalt Universität Stuttgart Pfaffenwaldring 32 70569 Stuttgart GERMANY
<b>Test report(s)</b>	9034201-180206-1/Pp dated 2018-02-06
<b>Surveillance contract/ License agreement</b>	7000386 dated 2017-01-26

