


**WOOD FIBRE INSULATION**

**PRODUCT OVERVIEW**


**SYSTEMS AND**

**ACCESSORY PRICE LIST**

**Valid as of April 2024**








# Inhalt

<b>Ecological wood fibre insulation for new builds and modernisation projects</b> .....	<b>4</b>
<b>Product overview</b> .....	<b>5</b>
GUTEX Multiplex-top .....	5
GUTEX Ultratherm .....	5
GUTEX Thermosafe-homogen .....	6
GUTEX Thermoflat .....	6
GUTEX Thermoflex .....	7
GUTEX Thermofibre .....	7
GUTEX Multitherm .....	8
GUTEX Thermoinstal. ....	8
GUTEX Thermoroom .....	9
GUTEX Thermosafe-wd. ....	9
GUTEX Thermosafe-nf. ....	10
GUTEX Thermofloor .....	10
GUTEX Happy Step .....	10
GUTEX Standard-n. ....	11
GUTEX Thermowall. ....	12
GUTEX Thermowall NF. ....	13
GUTEX Thermowall-gf. ....	13
GUTEX Thermowall-L .....	14
GUTEX Thermowall Durio .....	14
Models. ....	15
<b>Price list for systems and accessories</b> .....	<b>17</b>
Thermowall ETICS .....	17
Durio system for custom façade design .....	31
Implio window integration system .....	36
Implio P .....	36
Implio F .....	46
Other. ....	50

# ECOLOGICAL WOOD FIBRE INSULATION FOR NEW BUILDS AND MODERNISATION PROJECTS

We make the most of ecological wood fibre – with sustainability, esprit, vision, and innovation: insulating materials and systems that create healthy living spaces in harmony with nature. Whether for roofs, façades, or interiors, GUTEX wood fibre insulation products and systems ensure a cosy, healthy indoor climate – and make it easy for installers, planners, and architects to carry out high-quality building and modernisation projects that retain their value. Our products stand for flexibility, safety, and freedom – they can be combined with products from other manufacturers without any problems, for example. They also build on tried-and-tested solutions we have developed in close consultation with planners, architects, and skilled tradespeople, as well as with guilds, associations, and universities.



## Roof

- **Tecadio roof renovation system**
- On-roof insulation
- Sarking boards
- Flat roof insulation
- Panel insulation (GUTEX Thermoflex insulation mat and GUTEX Thermofibre blow-in insulation)

## Interior

- **Intevio interior insulation system**
- Sarking from inside
- Under-rafter insulation
- Insulation under screed (dry/wet)
- Suspended ceiling
- Solid wood floor/wooden floor
- Insulation of installation level
- Partition walls
- Panel insulation (GUTEX Thermoflex insulation mat and GUTEX Thermofibre blow-in insulation)

## Façade

- **Thermowall ETICS thermal insulation system**
- Render
- Rainscreen façade
- Clinker facing shell
- **Durio façade insulation system**
- **Implio window and door integration system**
- Panel insulation (GUTEX Thermoflex insulation mat and GUTEX Thermofibre blow-in insulation)

# PRODUCT OVERVIEW



## GUTEX Multiplex-top

GUTEX Multiplex-top is the tested rainproof sarking board up to 35 mm.

Bulk density  $\rho$ : ~ 220 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.045 W/mK

Compressive stress/strength:  $\geq 200$  kPa

Tensile strength perpendicular to the surface:  $\geq 30$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10124	Tongue and groove	22	2500 × 750	1.87	4.84	45	84.37	520
13805	Tongue and groove	35	2500 × 750	1.87	7.70	30	56.25	485



## GUTEX Ultratherm

GUTEX Ultratherm is the sarking board with unique rain protection thanks to its patented tongue and groove profiling – with a high insulation value.

Bulk density  $\rho$ : ~ 180 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.042 W/mK

Compressive stress/strength:  $\geq 150$  kPa

Tensile strength perpendicular to the surface:  $\geq 20$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
13762	Tongue and groove	60	1780 × 600	1.06	10.80	36	38.44	490
12899	Tongue and groove	80	1780 × 600	1.06	14.40	26	27.76	430
12900	Tongue and groove	100	1780 × 600	1.06	18.00	20	21.36	390
12901	Tongue and groove	120	1780 × 600	1.06	21.60	18	19.22	420
12902	Tongue and groove	140	1780 × 600	1.06	25.20	14	14.95	390
12903	Tongue and groove	160	1780 × 600	1.06	28.80	12	12.81	390

 Roof, Façade & Interior

## GUTEX Thermosafe-homogen

GUTEX Thermosafe-homogen is the universal wood fibre insulation board with outstanding insulation properties for roofs, façades, and floor ceilings.

Bulk density  $\rho$ : ~ 110 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.039 W/mK

Compressive stress/strength:  $\geq 50$  kPa

Tensile strength perpendicular to the surface:  $\geq 5$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
11874	Flush-mount	40	1200 × 625	0.75	4.40	112	84.00	430
11875	Flush-mount	60	1200 × 625	0.75	6.60	70	52.50	380
11876	Flush-mount	80	1200 × 625	0.75	8.80	56	42.00	390
11877	Flush-mount	100	1200 × 625	0.75	11.00	42	31.50	340
10166	Flush-mount	120	1200 × 625	0.75	13.20	36	27.00	380
10167	Rebate joint	140	1200 × 625	0.75	15.40	32	24.00	420
10168	Rebate joint	160	1200 × 625	0.75	17.60	28	21.00	420
10169	Rebate joint	180	1200 × 625	0.75	19.80	24	18.00	420
10171	Rebate joint	200	1200 × 625	0.75	22.00	22	16.50	410
11591	Rebate joint	220	1200 × 625	0.75	24.20	20	15.00	410
11336	Rebate joint	240	1200 × 625	0.75	26.40	18	13.50	410

 Roof

## GUTEX Thermoflat

GUTEX Thermoflat is the pressure-resistant wood fibre insulation board for flat roofs made of wood, concrete, or sheet metal.

Bulk density  $\rho$ : ~ 140 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 70$  kPa

Tensile strength perpendicular to the surface:  $\geq 7.5$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10144	Rebate joint	100	1230 × 600	0.73	14.00	44	32.47	490
10145	Rebate joint	120	1230 × 600	0.73	16.80	36	26.56	490
10146	Rebate joint	140	1230 × 600	0.73	19.60	32	23.61	490
10147	Rebate joint	160	1230 × 600	0.73	22.40	28	20.66	490

 Roof, Façade & Interior

## GUTEX Thermoflex

GUTEX Thermoflex is the flexible wood fibre insulation mat for between-rafter and compartment insulation.

Bulk density  $\rho$ :  $\sim 50 \text{ kg/m}^3$

Nominal thermal conductivity  $\lambda_D$ :  $0.036 \text{ W/mK}$

Tensile strength perpendicular to the surface:  $\geq 1 \text{ kPa}$



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> / Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/ Package	Piece(s)/ Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
13293	Flush-mount	30	1350 × 575	0.77	1.50	12	144	111.78	200
13133	Flush-mount	40	1350 × 575	0.77	2.00	8	112	86.94	200
13132	Flush-mount	50	1350 × 575	0.77	2.50	9	90	69.86	200
13652	Flush-mount	60	1350 × 575	0.77	3.00	8	80	62.10	200
13653	Flush-mount	80	1350 × 575	0.77	4.00	6	60	46.57	200
13654	Flush-mount	100	1350 × 575	0.77	5.00	4	48	37.26	200
13655	Flush-mount	120	1350 × 575	0.77	6.00	4	40	31.05	200
13125	Flush-mount	140	1350 × 575	0.77	7.00	4	32	24.84	200
13656	Flush-mount	160	1350 × 575	0.77	8.00	3	30	23.28	200
13127	Flush-mount	180	1350 × 575	0.77	9.00	3	24	18.63	200
13657	Flush-mount	200	1350 × 575	0.77	10.00	2	24	18.63	200
13129	Flush-mount	220	1350 × 575	0.77	11.00	2	20	15.52	200
13658	Flush-mount	240	1350 × 575	0.77	12.00	2	20	15.52	200

 Roof, Façade & Interior

## GUTEX Thermofibre

*Sold only in full pallets*

GUTEX Thermofibre – ideal for compartments and as exposed insulation on horizontal surfaces.

Blow-in bulk density  $\rho$  exposed:  $25 - 30 \text{ kg/m}^3$

Blow-in bulk density  $\rho$  enclosed:  $29 - 50 \text{ kg/m}^3$

Nominal thermal conductivity  $\lambda_D$ :  $0.038 \text{ W/mK}$



Item number	Version	Thickness [mm]	Length × width [mm × mm]	kg/Bale	Bale/Pallet	Weight per pallet [kg]
12506	Unpacked	330	800 × 400	15.00	18	290
12253	Packed	330	800 × 400	15.00	21	330

 Roof & Façade

## GUTEX Multitherm

GUTEX Multitherm is the moisture-resistant wood fibre insulation board for rainscreen façades, as additional above-rafter insulation, or as under-rafter insulation.

Bulk density  $\rho$ : ~ 140 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 70$  kPa

Tensile strength perpendicular to the surface:  $\geq 7.5$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
12866	Tongue and groove	40	1760 × 600	1.05	5.60	54	57.02	350
12867	Tongue and groove	60	1760 × 600	1.05	8.40	36	38.01	350
12868	Tongue and groove	80	1760 × 600	1.05	11.20	26	27.45	330
12831	Tongue and groove	100	1760 × 600	1.05	14.00	22	23.23	350
12869	Tongue and groove	120	1760 × 600	1.05	16.80	18	19.00	350
12870	Tongue and groove	140	1760 × 600	1.05	19.60	16	16.89	350
12871	Tongue and groove	160	1760 × 600	1.05	22.40	14	14.78	350
12872	Tongue and groove	180	1760 × 600	1.05	25.20	12	12.67	350
12873	Tongue and groove	200	1760 × 600	1.05	28.00	10	10.56	320
13006	Flush-mount	60	3000 × 1250	3.75	8.40	15	56.25	520

 Interior

## GUTEX Thermoinstal

GUTEX Thermoinstal is the pressure-resistant wood fibre insulation board for installation levels.

Bulk density  $\rho$ : ~ 150 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 100$  kPa

Tensile strength perpendicular to the surface:  $\geq 10$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10157	Flush-mount	50	1250 × 600	0.75	7.50	84	63.00	520





## GUTEX Thermoroom

GUTEX Thermoroom is the wood fibre insulation board for interior insulation of exterior walls.

Bulk density  $\rho$ : ~ 130 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.039 W/mK

Compressive stress/strength:  $\geq 50$  kPa

Tensile strength perpendicular to the surface:  $\geq 7.5$  kPa



Item number	Joint type	Thickness [mm]	Length x width [mm x mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
11882	Flush-mount	20	1200 x 500	0.60	3.00	96	57.60	200
11883	Flush-mount	40	1200 x 500	0.60	5.20	48	28.80	180
13425	Flush-mount	50	1200 x 500	0.60	6.50	36	21.60	170
11884	Flush-mount	60	1200 x 500	0.60	7.80	30	18.00	170
11885	Flush-mount	80	1200 x 500	0.60	10.40	24	14.40	180
11881	Flush-mount	100	1200 x 500	0.60	13.00	18	10.80	170



## GUTEX Thermosafe-wd

GUTEX Thermosafe-wd is the pressure-resistant wood fibre insulation board for interior floor and wall constructions with live loads of up to 5 kN/m<sup>2</sup>.

Bulk density  $\rho$ : ~ 140 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 70$  kPa



Item number	Joint type	Thickness [mm]	Length x width [mm x mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
11887	Flush-mount	20	1250 x 600	0.75	2.80	224	168.00	600
10224	Flush-mount	30	1250 x 600	0.75	4.20	140	105.00	520
11888	Flush-mount	40	1250 x 600	0.75	5.60	112	84.00	510
11889	Flush-mount	60	1250 x 600	0.75	8.40	70	52.50	460
11890	Flush-mount	80	1250 x 600	0.75	11.20	56	42.00	490
11886	Flush-mount	100	1250 x 600	0.75	14.00	42	31.50	470
10217	Flush-mount	120	1250 x 600	0.75	16.80	36	27.00	470

 Interior

## GUTEX Thermosafe-nf

GUTEX installation strip required

GUTEX Thermosafe-nf is the impact sound insulation board with a spruce installation strip – ideal as a substructure for screws floorboards or parquet floors.

Bulk density  $\rho$ : ~ 130 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.039 W/mK



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
11956	Tongue and groove	40	1190 × 380	0.45	5.20	75	33.91	200

 Interior

## GUTEX Thermofloor

GUTEX Thermofloor is the impact sound insulation board for all floor constructions with live loads of up to 5 kN/m<sup>2</sup>.

Bulk density  $\rho$ : ~ 160 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10142	Flush-mount	20	1200 × 600	0.72	3.20	180	129.60	450
10143	Flush-mount	30	1200 × 600	0.72	4.80	120	86.40	450

 Interior

## GUTEX Happy Step

GUTEX Happy Step is the base board for increased walking comfort and impact sound insulation, e.g. with parquet floors.

Bulk density  $\rho$ : ~ 260 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.046 W/mK

Compressive stress/strength: ≥ 100 kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Package	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10025	Flush-mount	6	860 × 590	0.50	1.60	20	640	324.73	540



## GUTEX Standard-n

GUTEX Standard-n is the thin base board manufactured using the wet-aggregate process and available in various thicknesses – ideal for levelling out uneven floors, etc.

Bulk density  $\rho$ : ~ 250 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.046 W/mK

Compressive stress/strength:  $\geq$  100 kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10037	Flush-mount	8	2500 × 1000	2.50	2.00	130	325.00	700
10042	Flush-mount	10	2500 × 1200	3.00	2.50	114	342.00	700
10001	Flush-mount	12	2500 × 1200	3.00	3.00	95	285.00	700
11268	Flush-mount	15	2500 × 1200	3.00	3.80	76	228.00	700
10011	Flush-mount	18	2500 × 1200	3.00	4.50	60	180.00	700



## GUTEX Thermowall

GUTEX Thermowall is the plaster baseboard with low lambda value for the ecological Thermowall ETICS.

Bulk density  $\rho$ : ~ 160 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 100$  kPa

Tensile strength perpendicular to the surface:  $\geq 10$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
13809 <sup>1</sup>	Tongue and groove	80	1300 × 600	0.78	12.80	56	43.68	510
10268 <sup>1</sup>	Tongue and groove	100	1300 × 600	0.78	16.00	44	34.32	520
10270 <sup>1</sup>	Tongue and groove	120	1300 × 600	0.78	19.20	36	28.08	510
11560 <sup>1</sup>	Tongue and groove	140	1300 × 600	0.78	22.40	32	24.96	530
11561 <sup>1</sup>	Tongue and groove	160	1300 × 600	0.78	25.60	28	21.84	530
10196	Flush-mount	100	830 × 600	0.49	16.00	40	19.92	320
11229	Flush-mount	120	830 × 600	0.49	19.20	32	15.93	310
10198	Flush-mount	140	830 × 600	0.49	22.40	28	13.94	310
10199	Flush-mount	160	830 × 600	0.49	25.60	24	11.95	310
11895 <sup>2</sup>	Flush-mount	20	1250 × 590	0.73	3.20	224	165.20	590
11896	Flush-mount	40	1250 × 590	0.73	6.40	112	82.60	510
11897	Flush-mount	60	1250 × 590	0.73	9.60	70	51.62	480
11900	Flush-mount	80	1250 × 590	0.73	12.80	56	41.30	490
11898	Flush-mount	80	2600 × 1250	3.25	12.80	12	39.00	520
11892	Flush-mount	100	2600 × 1250	3.25	16.00	9	29.25	520
11309	Flush-mount	120	2600 × 1250	3.25	19.20	8	26.00	520
11899	Flush-mount	80	2800 × 1250	3.50	12.80	12	42.00	550
11893	Flush-mount	100	2800 × 1250	3.50	16.00	9	31.50	520
11308	Flush-mount	120	2800 × 1250	3.50	19.20	8	28.00	550

<sup>1</sup> Can be used freely over wooden studs

<sup>2</sup> For reveals only



## GUTEX Thermowall NF

GUTEX Thermowall NF is the plaster baseboard for the ecological Thermowall ETICS for use in commercial construction.

Bulk density  $\rho$ : ~ 160 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 100$  kPa

Tensile strength perpendicular to the surface:  $\geq 10$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
13806*	Tongue and groove	60	1800 × 600	1.08	9.60	36	38.88	370

\* Can be used freely over wooden studs



## GUTEX Thermowall-gf

GUTEX Thermowall-gf is the particularly pressure-resistant, stable plaster baseboard in thicknesses of 40 or 60 mm – ideal for boarding directly over wooden studs in the ecological Thermowall ETICS.

Bulk density  $\rho$ : ~ 185 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.043 W/mK

Compressive stress/strength:  $\geq 150$  kPa

Tensile strength perpendicular to the surface:  $\geq 20$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
10255*	Tongue and groove	40	1300 × 600	0.78	7.40	108	84.24	680
10257*	Tongue and groove	60	1300 × 600	0.78	11.10	72	56.16	680
13807*	Tongue and groove	60	1800 × 600	1.08	11.10	36	38.88	490
13808*	Tongue and groove	60	2576 × 1176	3.02	11.10	18	54.52	680
11980	Flush-mount	40	2600 × 1250	3.25	7.40	24	78.00	610
11982	Flush-mount	60	2600 × 1250	3.25	11.10	15	48.75	640
11981	Flush-mount	40	2800 × 1250	3.50	7.40	24	84.00	730
11983	Flush-mount	60	2800 × 1250	3.50	11.10	15	52.50	680
12127	Flush-mount	60	3000 × 1250	3.75	11.10	15	56.25	730

\* Can be used freely over wooden studs



## GUTEX Thermowall-L

GUTEX Thermowall-L is the light plaster baseboard with excellent insulation performance – ideal for full-surface mineral or solid wood substrates in the ecological Thermowall ETICS.

Bulk density  $\rho$ : ~ 110 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.038 W/mK

Compressive stress/strength:  $\geq 50$  kPa

Tensile strength perpendicular to the surface:  $\geq 7.5$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
15053	Flush-mount	120	1200 × 400	0.48	13.20	16	7,68	120
15052	Flush-mount	140	1200 × 400	0.48	15.40	16	7.68	140
15054	Flush-mount	160	1200 × 400	0.48	17.60	12	5,76	120
15055	Flush-mount	180	1200 × 400	0.48	19.80	12	5.76	140
15056	Flush-mount	200	1200 × 400	0.48	22.00	10	4.80	120



## GUTEX Thermowall Durio

GUTEX Thermowall Durio is the special board in the ecological Durio façade insulation system for rendered and rainscreen wood façades.

Bulk density  $\rho$ : ~ 160 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.040 W/mK

Compressive stress/strength:  $\geq 100$  kPa

Tensile strength perpendicular to the surface:  $\geq 10$  kPa



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]
12694	Tongue and groove	70	1800 × 600	1.08	11.20	32	34.56	380

## Models



### GUTEX Display model

Item number	Width [cm]	Length [cm]	Height [cm]	Weight per pallet [kg]	Price unit	Sales price €
13748	60	60	185	150	Piece(s)	1850.00



### GUTEX Noise protection box

Item number	Width [cm]	Length [cm]	Height [cm]	Weight per pallet [kg]	Price unit	Sales price €
10354	50	96	41	24	Piece(s)	800.00



### GUTEX Heat protection box

Item number	Width [cm]	Length [cm]	Height [cm]	Weight per pallet [kg]	Price unit	Sales price €
11232	25	75	50	13	Piece(s)	1300.00



## GUTEX Implio Sample box

*Net price, not discountable*

Item number	Width [cm]	Length [cm]	Height [cm]	Price unit	Sales price €
12648	27.5	44	27	Piece(s)	120.85



# PRICE LIST FOR SYSTEMS AND ACCESSORIES

Recommended sales prices from dealer, net plus VAT.

## Thermowall ETICS



### GUTEX Thermowall-gf starter board

Bulk density  $\rho$ : ~ 185 kg/m<sup>3</sup>

Compressive stress/strength:  $\geq 150$  kPa

Tensile strength perpendicular to the surface:  $\geq 20$  kPa

Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> / Piece(s)	Piece(s)/ Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]	Price unit	Sales price €
13446	3 sides tongue and groove, underside flush-mount	60	1300 × 590	0.77	34	26.08	340	Piece(s)	21.54
13447*	3 sides tongue and groove, underside rebate joint	60	1300 × 400	0.52	51	26.52	340	Piece(s)	15.98

\* Rebate dimensions: 20 × 60 mm



### GUTEX SN71 Base rail

Material: Plastic

Item number	Length [cm]	for insulation [mm]	Piece(s)/Box	Price unit	Sales price €
14413	200	60	10	Piece(s)	14.34
14414	200	80	10	Piece(s)	15.61
14415	200	100	10	Piece(s)	16.92
14416	200	120	10	Piece(s)	17.38
14417	200	140	10	Piece(s)	18.60
14418	200	160	10	Piece(s)	19.87

**GUTEX VL71** Extension*For GUTEX SN71 base rail*

Material: Plastic



Item number	Width [mm]	Length [cm]	Piece(s)/Box	Price unit	Sales price €
14422	40	200	10	Piece(s)	9.37

**GUTEX AP71** Clip-on profile*Incl. connector**For GUTEX SN71 base rail*

Material: Plastic



Item number	Length [cm]	Piece(s)/Box	Price unit	Sales price €
14419	210	10	Piece(s)	14.82

**GUTEX SV71** Butt joint*Sold only together with GUTEX SN71 base rail or as a full box**For GUTEX SN71 base rail*

Material: Plastic



Item number	Length [cm]	Piece(s)/Box	Price unit	Sales price €
14543	100	20	Piece(s)	4.49

## GUTEX EV71 Corner joint

For GUTEX SN71 base rail

Material: Plastic



Item number	Type	Bag/Piece(s)	Piece(s)/Box	Price unit	Sales price €
14420	Outside corner	10	100	Piece(s)	1.11
14421	Insider corner	10	100	Piece(s)	2.09

## GUTEX Angle bead

Can be combined with GUTEX base profile

Material: Plastic



Item number	Length [cm]	Piece(s)/Box	Side dimensions [cm/cm]	Price unit	Sales price €
11869	200	15	5/5	Piece(s)	8.50

## GUTEX Drip bead

Can be combined with GUTEX angle profile

Material: Plastic



Item number	Length [cm]	Piece(s)/Box	Max. plinth recess [mm]	Price unit	Sales price €
11868	240	25	60	Piece(s)	18.80

## GUTEX Hammer fastener

For profile installation on masonry

Penetration depth min. 25 mm in load-bearing substrate



Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
12230	8	65	100	Piece(s)	0.51

## GUTEX Render stop bead

Material: Aluminium



Item number	Width [mm]	Length [cm]	Piece(s)/Bundle	Price unit	Sales price €
12235	43	200	10	Piece(s)	14.80
10380	63	200	10	Piece(s)	17.05
12236	83	200	10	Piece(s)	19.50
10374	103	200	10	Piece(s)	24.50
10375	123	200	10	Piece(s)	26.70
12234	143	200	10	Piece(s)	33.50
10377	163	200	10	Piece(s)	38.50
11325	183	200	10	Piece(s)	45.50
10378	203	200	10	Piece(s)	55.00

## GUTEX Render stop bead connector

For GUTEX skirting board

Material: Plastic



Item number	Piece(s)/Pack	Price unit	Sales price €
10386	100	Piece(s)	0.34

## GUTEX Render stop bead corner piece

For GUTEX skirting board

Material: Aluminium



Item number	Width [mm]	Piece(s)/Pack	Price unit	Sales price €
10384	63	10	Piece(s)	12.50
10385	83	10	Piece(s)	13.30
10382	103	10	Piece(s)	16.20

## GUTEX Thermowall wood screws

Incl. plate and plug

Penetration depth min. 25 mm in load-bearing substrate

Consumption: 6 – 10 Piece(s)/m<sup>2</sup>



Item number	Diameter [mm]	Length [mm]	for insulation [mm]	Piece(s)/Box	Price unit	Sales price €
12237	6	80	40	100	Piece(s)	0.71
10403	6	100	60	100	Piece(s)	0.77
10404	6	120	80	100	Piece(s)	0.90
10405	6	140	100	100	Piece(s)	0.97
10406	6	160	120	100	Piece(s)	1.12
12265	6	180	140	100	Piece(s)	1.23
10408	6	200	160	100	Piece(s)	1.35
10409	6	220	180	100	Piece(s)	1.48
10411	6	240	200	100	Piece(s)	1.67
12264	6	260	220	100	Piece(s)	1.86
12274	6	280	240	100	Piece(s)	2.14
12170	6	300	260	100	Piece(s)	2.38

## GUTEX Plastic insulation disc

Excl. screws

Recommended stainless steel screws  $\varnothing$  5 mm



Item number	Diameter [mm]	Piece(s)/Box	Price unit	Sales price €
10389	60	100	Piece(s)	0.37

## GUTEX ETICS Thermally decoupled hammer fastener

GUTEX thermo dowel sealing plug additionally required

for concrete, solid, and perforated building materials, no-fines concrete, aerated concrete, use category A, B, C, D, E

Penetration depth min. 25 mm in load-bearing substrate

Consumption: 6 – 10 Piece(s)/m<sup>2</sup>



Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
11327	8	115	100	Piece(s)	0.74
11328	8	135	100	Piece(s)	0.85
11329	8	155	100	Piece(s)	1.01
11330	8	175	100	Piece(s)	1.19
11331	8	195	100	Piece(s)	1.55
11332	8	215	100	Piece(s)	1.80
11333	8	235	100	Piece(s)	2.07
11334	8	255	100	Piece(s)	2.30
11335	8	275	100	Piece(s)	2.53
11404	8	295	100	Piece(s)	3.05

## GUTEX Thermally decoupled hammer sealing plug

For GUTEX ETICS thermal screw anchors



Item number	Piece(s)/Pack	Price unit	Sales price €
10424	500	Piece(s)	0.06



## GUTEX Drip bead

Material: Plastic

Item number	Length [cm]	Piece(s)/Box	Price unit	Sales price €
11870	250	25	Piece(s)	6.67



## GUTEX Adhesive sealing strip

BG 1

Self-adhesive on one side

Item number	Width [mm]	Joint width [mm]	m/Roll	Roll/Box	Price unit	Sales price €
10368	15	5 – 12	9	10	Roll	24.50
14548	15	2 – 6	18	10	Roll	22.60



## GUTEX Caulking

Sealing and bonding compound

Item number	ml/Cartridge	Cartridge/Box	Price unit	Sales price €
11871	290	12	Piece(s)	13.14

## GUTEX Brush-on sealant

Consumption on board surface: approx. 0.8 l/m<sup>2</sup>  
 Consumption on face sides: approx. 2 l/m<sup>2</sup>



Item number	l/Bucket	Price unit	Sales price €
12774	2.5	Bucket	69.49



## GUTEX Corner bead

Item number	Length [cm]	Piece(s)/Box	Side dimensions [cm/cm]	Price unit	Sales price €
12233	250	50	10/15	Piece(s)	4.87



## GUTEX Inverted angle mesh

Item number	Max. reveal depth [cm]	Piece(s)/Box	Price unit	Sales price €
10387	10	25	Piece(s)	5.66
10388	20	25	Piece(s)	6.00





## GUTEX Expansion/movement bead

Colour: Dark grey


Item number	Type	Length [cm]	Joint width [mm]	Piece(s)/Box	Price unit	Sales price €
10364	'E' for flat wall surfaces	250	5 – 25	25	Piece(s)	63.96
10365	'V' for offset wall surfaces	250	5 – 25	25	Piece(s)	58.66



## GUTEX Window bead

Material: Plastic  
Self-adhesive

Item number	Length [cm]	Piece(s)/Box	Price unit	Sales price €
13548	260	25	Piece(s)	13.50



## GUTEX Transition stop bead

*For sheet metal transitions*

Material: Plastic

Item number	Length [cm]	Piece(s)/Box	Price unit	Sales price €
11589	250	10	Piece(s)	41.50



## GUTEX Drip bead

Material: Plastic

Item number	Length [cm]	Piece(s)/Box	Price unit	Sales price €
13900	240	25	Piece(s)	14.50



## GUTEX Stop bead

Material: Plastic

Item number	Length [cm]	For undercoat plaster thickness [mm]	Piece(s)/Box	Price unit	Sales price €
11873	240	6	25	Piece(s)	3.70



## GUTEX Universal reinforcement bead

Item number	Width [cm]	Linear metre/Roll	Mesh size [mm × mm]	Requirement [Linear metre/m <sup>2</sup> ]	Price unit	Sales price €
12231	110	50	4 × 4	1	m	2.15
14072	110	50	6 × 6	1	m	2.05

## Thermowall ETICS render components

### GUTEX Adhesive/base coat

*For bonding and reinforcing*

Mineral undercoat

Consumption: Approx. 6 – 7 kg/m<sup>2</sup> (bonding), approx. 3 – 4 kg/m<sup>2</sup> (reinforcement or cross-priming with 8 mm notch trowel), approx. 5 – 8 kg/m<sup>2</sup> (with single-layer reinforcement priming)



Item number	kg/Sack	Sack/Pallet	Price unit	Sales price €
12229	25	36	kg	1.35

### GUTEX Base plaster

*For the plinth area*

Mineral combination mortar



Item number	kg/Sack	Sack/Pallet	Consumption [kg/mm layer thickness]	Price unit	Sales price €
14071	25	36	1.4	kg	2.85

### GUTEX Foundation paint

*For the splash water area*

*Must be mixed with cement*

Organic filler



Item number	kg/Bucket	Consumption [kg/m <sup>2</sup> ]	Price unit	Sales price €
10373	18	0.5	kg	7.05



## GUTEX Isolating primer

Filled, pigmented, silicate primer coat

Item number	Colour	kg/Bucket	Consumption [kg/m <sup>2</sup> ]	Price unit	Sales price €
10369	White	25	0.35	kg	4.25
11788*	Tinted	25	0.35	kg	5.26

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility



## GUTEX Render

Mineral finish render  
Scraped rendering

Item number	Colour	Grain [mm]	kg/Sack	Consumption [kg/m <sup>2</sup> ]	Price unit	Sales price €
10361	White	1.5	25	1.7	kg	1.88
10362	White	2.0	25	2.3	kg	1.88
10363	White	3.0	25	2.7	kg	1.88
11230*	Tinted	2.0	25	2.3	kg	2.30
11231*	Tinted	1.5	25	1.7	kg	2.30
11305*	Tinted	3.0	25	2.7	kg	2.30

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility; minimum quantity 150 kg



## GUTEX Eco final render

Silicone resin finish render without biocidal agents  
Scraped rendering

Item number	Colour	Grain [mm]	kg/Bucket	Bucket/Pallet	Consumption [kg/m <sup>2</sup> ]	Price unit	Sales price €
14075	White	1.5	25	24	2,2 – 2,6	kg	3.45
14076*	Tinted	1.5	25	24	2,2 – 2,6	kg	3.80
14077	White	2.0	25	24	2,8 – 3,4	kg	3.45
14078*	Tinted	2.0	25	24	2,8 – 3,4	kg	3.80
14079	White	3.0	25	24	4,0 – 4,6	kg	3.45
14080*	Tinted	3.0	25	24	4,0 – 4,6	kg	3.80

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility



## GUTEX Silicone resin render

Silicone resin finish render  
Scraped rendering

Item number	Colour	Grain [mm]	kg/Bucket	Consumption [kg/m <sup>2</sup> ]	Price unit	Sales price €
11922	White	1.5	25	2.3	kg	3.05
11923	White	2.0	25	3.0	kg	3.05
11924	White	3.0	25	4.3	kg	3.05
11925*	Tinted	1.5	25	2.3	kg	3.70
11926*	Tinted	2.0	25	3.0	kg	3.70
11927*	Tinted	3.0	25	4.3	kg	3.70

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility



## GUTEX Eco mineral paint

Silicate-based façade paint

Item number	Colour	l/Bucket	Bucket/Pallet	Consumption with 2 coats [l/m <sup>2</sup> ]	Price unit	Sales price €
14081	White	15	32	0,3 – 0,4	l	14.80
14082*	Tinted	15	32	0,3 – 0,4	l	17.50

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility



## GUTEX Silicate mineral paint

Silicone resin paint

Item number	Colour	l/Bucket	Consumption with single coat [l/m <sup>2</sup> ]	Price unit	Sales price €
11125*	Tinted	15	0.3	l	10.02
12232	White	15	0.3	l	7.07

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility



## GUTEX Solar Reflex façade paint

Dispersion paint for dark façade tones

Item number	Colour	l/Bucket	Bucket/Pallet	Consumption with 2 coats [l/m <sup>2</sup> ]	Price unit	Sales price €
14083	Tinted	15	32	0,30 – 0,36	l	17.75

## GUTEX Silicate mineral paint PV

For exposed layers

Silicone resin paint

Set to prevent fungus/algae



Item number	Colour	l/Bucket	Consumption with single coat [l/m <sup>2</sup> ]	Price unit	Sales price €
10360	White	15	0.3	l	11.26
11174*	Tinted	15	0.3	l	11.83

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility

## Durio system for custom façade design

### Durio system components



### GUTEX Durio Bracket

Material: Galvanised steel

Item number	Type	Length [mm]	Piece(s)/Box	Depth [mm]	Price unit	Sales price €
12719	120	350	10	83	Piece(s)	21.10
12720	180	350	10	83	Piece(s)	21.15
12721	240	350	10	83	Piece(s)	21.26

### GUTEX Durio Render stop bead

Material: Aluminium



Item number	Width [mm]	Length [cm]	Piece(s)/Bundle	Price unit	Sales price €
12726	70	250	10	Piece(s)	11.56



### GUTEX Durio Long shank fastener

Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
12730	10	80	50	Piece(s)	1.25



### GUTEX Durio Washer

Item number	Hole diameter [mm]	Length × width [mm × mm]	Piece(s)/Box	Price unit	Sales price €
13055	11	30 × 30	100	Piece(s)	0.13
12781	11	40 × 40	50	Piece(s)	1.37



### GUTEX Durio Spacer

Item number	Thickness [mm]	Diameter [mm]	Height [mm]	Piece(s)/Box	Price unit	Sales price €
12731	0.8	10	5	40	Piece(s)	0.09





### GUTEX Durio Stainless steel screw

Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
12856	8	100	50	Piece(s)	1.31



### GUTEX Durio Longitudinal bracket

Item number	Length [cm]	Piece(s)/Box	Side dimensions [cm/cm]	Price unit	Sales price €
13432	105	10	10,5/4	Piece(s)	17.92



### GUTEX Durio CSA screw

Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
13444	5	50	250	Piece(s)	0.25



### GUTEX Durio Threaded rod

*Component of GUTEX Durio injection anchor*

Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
12733	8	110	10	Piece(s)	1.50



## GUTEX Durio Perforated sleeve

Component of GUTEX Durio injection anchor

Item number	Diameter [mm]	Length [mm]	Piece(s)/Box	Price unit	Sales price €
12734	12	85	50	Piece(s)	1.05



## GUTEX Durio Grout

Component of GUTEX Durio injection anchor

Two-component mortar

Item number	ml/Cartridge	Price unit	Sales price €
12735	360	Piece(s)	48.17



## GUTEX Durio Partition

Sold only in whole packages

Nominal thermal conductivity  $\lambda_D$ : 0.046 W/mK



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> / Piece(s)	Weight per m <sup>2</sup> [kg]	Piece(s)/ Package	Piece(s)/ Pallet	Square metres per pallet [m <sup>2</sup> ]	Weight per pallet [kg]	Price unit	Sales price €
12732	Flush-mount	12	1500 × 620	0.93	3.17	10	180	167.40	550	m <sup>2</sup>	5.12

## Durio render components



### GUTEX Durio Final render

Item number	Colour	Grain [mm]	kg/Bucket	Consumption [kg/m <sup>2</sup> ]	Price unit	Sales price €
12859	White	1.5	25	2.3	kg	3.05
12860	White	2.0	25	3.0	kg	3.05
12861	White	3.0	25	4.3	kg	3.05
12862*	Tinted	1.5	25	2.3	kg	3.70
12863*	Tinted	2.0	25	3.0	kg	3.70
12864*	Tinted	3.0	25	4.3	kg	3.70

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility



### GUTEX Durio Façade paint

*For exposed layers*

Set to prevent fungus/algae

Item number	Colour	l/Bucket	Consumption with single coat [l/m <sup>2</sup> ]	Price unit	Sales price €
12857	White	15	0.3	l	11.26
12858*	Tinted	15	0.3	l	11.83

\* Tinted version with exact colour specification, light reference value  $\geq 20$  subject to feasibility

## Implio window integration system

### Implio P

#### GUTEX Implio P Reveal insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

For rendered façades

Membrane covering: White



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
12791	20	10	300	m	22.25
12792	20	15	300	m	24.80
12793	20	20	300	m	27.30
12794	20	25	300	m	29.80
12795	20	30	300	m	32.25
12797	30	10	300	m	22.75
12798	30	15	300	m	25.45
12799	30	20	300	m	29.20
12800	30	25	300	m	31.05
12801	30	30	300	m	33.80
13362	40	10	300	m	26.60
13363	40	15	300	m	29.50
13364	40	20	300	m	32.40
13365	40	25	300	m	35.25
13366	40	30	300	m	38.15

## GUTEX Implio P Ledge insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

For rendered façades

Membrane covering: White



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
12785	30	10	300	m	24.55
12786	30	15	300	m	28.30
12787	30	20	300	m	32.00
12788	30	25	300	m	33.90
12789	30	30	300	m	37.45
12843	40	10	300	m	25.05
12844	40	15	300	m	28.95
12845	40	20	300	m	32.90
12846	40	25	300	m	34.00
12847	40	30	300	m	38.85

## GUTEX Implio Reveal insulation coating

Item number	Type	Price unit	Sales price €
13089	Coating of the face sides with GUTEX brush-on sealant	m	6.90

## GUTEX Implio P02 Reveal insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

The boards are supplied without a channel bead; the face sides must therefore be protected on site.

For rainscreen façades

Membrane covering: Black



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
13396	20	10	300	m	23.35
13397	20	15	300	m	25.90
13398	20	20	300	m	28.50
13399	20	25	300	m	31.05
13400	20	30	300	m	33.55
13401	30	10	300	m	23.80
13402	30	15	300	m	26.55
13403	30	20	300	m	30.40
13404	30	25	300	m	32.35
13405	30	30	300	m	35.10
13406	40	10	300	m	27.80
13407	40	15	300	m	30.80
13408	40	20	300	m	33.75
13409	40	25	300	m	36.65
13410	40	30	300	m	39.60

## GUTEX Implio P02 Ledge insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

The boards are supplied without a channel bead; the face sides must therefore be protected on site.

For rainscreen façades

Membrane covering: Light grey



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
13411	30	10	300	m	25.05
13412	30	15	300	m	28.85
13413	30	20	300	m	32.55
13414	30	25	300	m	34.50
13415	30	30	300	m	38.10
13416	40	10	300	m	25.55
13417	40	15	300	m	29.50
13418	40	20	300	m	33.45
13419	40	25	300	m	34.60
13420	40	30	300	m	39.50

## GUTEX Implio P Sunshade housing

Membrane covering: White



Item number	Price unit	Sales price €
12564	m	285.00

## GUTEX Implio P02 Sunshade housing

Membrane covering: White on inside, black on face side



Item number	Price unit	Sales price €
13393	m	312.00

## GUTEX Implio P Sunshade housing

Membrane covering: White




Item number	Price unit	Sales price €
13394	m	305.00

## GUTEX Implio P02 Sunshade housing

Membrane covering: White on inside, black on outside and face side



Item number	Price unit	Sales price €
13395	m	335.00



## GUTEX Implio Cable gland

Airtight and waterproof, pre-installed

Item number		Price unit	Sales price €
12829		Piece(s)	35.00



## GUTEX Implio Sunshade housing connector

For multi-part sunshade housings (total length > 250 cm) and Rivestio cladding panels (total length > 300 cm)

Item number		Price unit	Sales price €
12942		Piece(s)	45.00

## GUTEX Implio P Base reveal insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

Membrane covering: White

Material: XPS



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
13593	20	10	60	m	27.40
13594	20	20	60	m	34.60
13595	20	30	60	m	45.25
13596	30	10	60	m	29.70
13597	30	20	60	m	38.10
13598	30	30	60	m	49.90
13599	40	10	60	m	31.95
13600	40	20	60	m	40.45
13601	40	30	60	m	52.30





## GUTEX Implio P Joint tape

With split liner

Item number	m/Roll	Spacing [mm/mm]	Price unit	Sales price €
12499	30	25/55	Roll	165.50
13863	30	15/65	Roll	165.50



## GUTEX Implio P Corner joint tape

With split liner

Item number	Piece(s)/Box	Spacing [mm/mm]	Price unit	Sales price €
12500	10	25/55	Piece(s)	5.94
13864	10	15/65	Piece(s)	5.94

## GUTEX Implio P Adhesive tape/corners sample set

Contains 2.5 linear metres of joint tape and 2x corner joint tape

Item number	Spacing [mm/mm]	Price unit	Sales price €
13904	25/55	Piece(s)	26.47
13905	15/65	Piece(s)	26.47



## GUTEX Implio P Weatherproofing channel

For all thicknesses

With integrated joint sealing tape

Item number	Length [cm]	Price unit	Sales price €
13096	300	Piece(s)	24.71

## GUTEX Implio P Rear panel

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

Membrane covering: White on front and bottom



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
13843	20	30	300	m	41.85
13844	20	40	300	m	46.60
13845	20	10	300	m	32.45
13846	20	20	300	m	37.35
13847	30	30	300	m	44.40
13848	30	40	300	m	49.80
13849	30	10	300	m	33.50
13850	30	20	300	m	38.40
13851	40	30	300	m	52.05
13852	40	40	300	m	59.15
13853	40	10	300	m	40.65
13854	40	20	300	m	46.60
13855	60	30	300	m	76.70
13856	60	40	300	m	86.00
13857	60	10	300	m	58.15
13858	60	20	300	m	67.40

## GUTEX Implio P Combination reveal insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

Combination reveal insulation is always sold in pairs as right and left boards. Even-numbered quantities must therefore always be ordered.

Membrane covering: White

Length of XPS component 33 cm, total length 100 – 300 cm



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
13888	20	10	300	m	25.45
13889	20	20	300	m	30.40
13890	20	30	300	m	35.40
13892	30	10	300	m	28.70
13893	30	20	300	m	33.40
13895	30	30	300	m	40.15
13896	40	10	300	m	34.15
13897	40	20	300	m	39.80
13898	40	30	300	m	47.60

## GUTEX Implio P Base ledge insulation

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

Membrane covering: Light grey  
Material: PET



Item number	Thickness [mm]	Max. depth [cm]	Max. length [cm]	Price unit	Sales price €
13947	36	20	240	m	80.99
13948	36	30	240	m	88.17



## GUTEX Implio Support shears

Suitable for cutting the weatherproofing channel

Item number	Price unit	Sales price €
13101	Piece(s)	58.31

## GUTEX Implio Caulking

For bonding and sealing

Colour: White



Item number	ml/Cartridge	Price unit	Sales price €
12507	310	Piece(s)	14.52

## GUTEX Brush-on sealant

Consumption on board surface: approx. 0.8 l/m<sup>2</sup>  
 Consumption on face sides: approx. 2 l/m<sup>2</sup>



Item number	l/Bucket	Price unit	Sales price €
12774	2.5	Bucket	69.49

## GUTEX Implio Ledge cover corner underlay

*Suitable for window sill model 'Fenorm external window sill aluminium' made by Polythal*

Colour: Silver or white RAL 9016

Material: Aluminium



Item number	Length [mm]	Price unit	Sales price €
12550	165	Pair	58.50
12551	180	Pair	60.05
12552	195	Pair	63.70
12553	210	Pair	62.80
12561	225	Pair	66.50
12554	240	Pair	67.50
12555	260	Pair	70.50
12556	280	Pair	72.00
12557	300	Pair	74.00
12558	320	Pair	82.50
12559	340	Pair	84.50
12560	360	Pair	86.00

## Surcharge for special painting

Item number	Price unit	Sales price €
12565	Pair	21.81

## Setup costs for special painting

Net price, not discountable

One-off costs per colour

Item number	Sales price €
	77.87



## GUTEX Implio Plastic bracket

Can be shortened in height

Item number	Length [cm]	Side dimensions [cm/cm]	Price unit	Sales price €
13503	200	6/3,7	Piece(s)	36.06
14209	100	6/3,7	Piece(s)	18.19



## GUTEX Implio Vent channel

For installation under window sills

Item number	Thickness [mm]	Width [mm]	Length [cm]	Price unit	Sales price €
13275	7	30	120	Piece(s)	7.73

## Implio F



### GUTEX Implio F Ledge insulation and moisture barrier

With adhesive joint

Item number	Thickness [mm]	Max. depth [cm]	Length [cm]	Price unit	Sales price €
13266	30	10	125	Linear metre	22.47
13267	30	15	125	Linear metre	25.81
13268	30	20	125	Linear metre	29.37
13269	30	25	125	Linear metre	33.59
13270	30	30	125	Linear metre	37.65
13271	40	35	125	Linear metre	41.76
13272	40	40	125	Linear metre	46.25



### GUTEX Implio F Adhesive tape

For sealing

Item number	Width [mm]	m/Roll	Price unit	Sales price €
13504	50	30	Roll	44.17

## GUTEX Implio F Window corner



Window corners are shorter than their nominal depth. The matching overlap on the façade corners is produced when used with the system.

Item number	Type	Max. depth [cm]	Price unit	Sales price €
13279	Left	10	Piece(s)	5.32
13280	Right	10	Piece(s)	5.32
13281	Left	15	Piece(s)	6.14
13282	Right	15	Piece(s)	6.14
13283	Left	20	Piece(s)	6.58
13284	Right	20	Piece(s)	6.58
13285	Left	25	Piece(s)	6.80
13286	Right	25	Piece(s)	6.80
13287	Left	30	Piece(s)	6.90
13288	Right	30	Piece(s)	6.90
13289	Left	35	Piece(s)	7.51
13290	Right	35	Piece(s)	7.51
13291	Left	40	Piece(s)	8.38
13292	Right	40	Piece(s)	8.38

## GUTEX Implio F Façade corner



Can be used on both sides

Item number	Price unit	Sales price €
13276	Piece(s)	5.53



## GUTEX Implio F Primer

Consumption on board surface: approx. 0.3 l/m<sup>2</sup>

Consumption on face sides: approx. 0.8 l/m<sup>2</sup>

Item number	l/Bucket	Price unit	Sales price €
13277	1	Bucket	16.82



## GUTEX Implio Caulking

*For bonding and sealing*

Colour: White

Item number	ml/Cartridge	Price unit	Sales price €
12507	310	Piece(s)	14.52



## GUTEX Rivestio Cladding panel

The boards are customised in depth and length. Other board dimensions are possible on request. Please use the order forms on our website to order Implio.

Membrane covering: White on front, back, and bottom



Item number	Thickness [mm]	Max. length [cm]	Max. height [cm]	Price unit	Sales price €
13186	20	300	40	m	86.30
13187	20	300	50	m	93.25
13188	20	300	60	m	100.21
13361	20	300	30	m	79.30
13189	40	300	40	m	97.75
13190	40	300	50	m	108.00
13191	40	300	60	m	117.00
13360	40	300	30	m	88.45
13192	60	300	40	m	113.00
13193	60	300	50	m	125.00
13194	60	300	60	m	136.00
13359	60	300	30	m	101.09

## Mechanical insulation technology

### GUTEX Hole saw HF-A

For blow-in opening in soft wood fibre boards

With ejection mechanism



Item number	Diameter [mm]	Price unit	Sales price €
13650	106.5	Piece(s)	308.52
14509	120	Piece(s)	361.68

## Other

### GUTEX Adhesive tape

Primer is mandatory

Part of the GUTEX adhesive system



Item number	Width [cm]	m/Roll	Price unit	Sales price €
11677	15	30	Roll	61.76

### GUTEX Primer

Part of the GUTEX adhesive system

Primer for GUTEX adhesive tape on soft wood fibre boards and other absorbent surfaces



Item number	l/Bottle	Consumption [Bottle/roll]	Price unit	Sales price €
11704	1	1	Bottle	20.60

### GUTEX Spray-on primer

Part of the GUTEX adhesive system

Primer for GUTEX adhesive tape on soft wood fibre boards and other absorbent surfaces



Item number	ml/Spray can	Spray can/Box	Consumption [Bottle/roll]	Price unit	Sales price €
13754	500	6	3	Piece(s)	17.97

## GUTEX Caulking

Part of the GUTEX adhesive system

For sarking boards

For standard cartridge press



Item number	ml/Cartridge	Consumption [ml/linear metre]	Price unit	Sales price €
11350	310	30	Piece(s)	3.80

## GUTEX Cutter

For jigsaw

T-shaft saw blade



Item number	for insulation [mm]	Piece(s)/Pack	Price unit	Sales price €
11121	60	3	Pack	17.32

## GUTEX Corner insulation wedge

Tapering from 30 mm to 5 mm

Bulk density  $\rho$ : ~ 130 kg/m<sup>3</sup>

Nominal thermal conductivity  $\lambda_D$ : 0.039 W/mK

Compressive stress/strength:  $\geq 50$  kPa

Tensile strength perpendicular to the surface:  $\geq 10$  kPa



Item number	Width [cm]	Thickness [mm]	Length [cm]	Piece(s)/Package	Price unit	Sales price €
11990	30	30	125	8	Package	49.10

## GUTEX Insulation knife

Incl. cutting protection

For GUTEX Thermoflex



Item number	Price unit	Sales price €
10344	Piece(s)	48.77

## GUTEX Joint strip

For GUTEX Thermosafe-nf

Material: Spruce



Item number	Joint type	Thickness [mm]	Length × width [mm × mm]	m <sup>2</sup> /Piece(s)	Piece(s)/Bundle	Price unit	Sales price €
14001	Tongue and groove	35	2000 × 74	0.45	12	Piece(s)	8.75

- Prices are net prices and exclude the statutory VAT
- If we have to break a pallet to meet your quantity requirements, we may charge a surcharge
- Unfortunately, we are unable to accept the return of plaster, render and accessories
- Available from a GUTEX dealer
- Consult your sales rep for building site delivery. Delivery sites must accommodate articulating lorries/tractor trailers
- GUTEX reserves the right to change product dimensions
- GUTEX is certified in accordance with EN ISO 9001, EMAS III and EN ISO 14001
- This price list supercedes all previous GUTEX price lists, rendering them invalid
- Unless otherwise agreed in writing, GUTEX' General Terms apply to all rendering of goods and services
- GUTEX' General Terms are available at [www.gutex.co.uk/terms-and-conditions/](http://www.gutex.co.uk/terms-and-conditions/)



Location Eschbach



Location Gutenberg

### Certified quality

Our products are made from sustainable Black Forest fir and spruce – the ideal basis for high quality wood fibre insulation materials. The natureplus® certificate also guarantees their health compatibility, environmentally friendly production, and suitability for use.



### GUTEX application engineering

