

CERTIFICATE

No. 036-03.310

Certificate Holder GUTEX Holzfaserplattenwerk
H. Henselmann GmbH & Co KG
Gutenberg 5
79761 Waldshut-Tiengen
Germany

Manufacturing Plant Gutenberg

Product GUTEX Multitherm
Wood fiber thermal insulation board

Test Specification European Insulation Keymark Scheme for
Thermal Insulation Products 2.1:2019
EN 13172:2012
EN 13171:2012+A1:2015

Mark of Conformity



ID036
2024-06-30


Certificate is valid until

Right of use

This certificate entitles you to use the above conformity mark in connection with the above certificate number.

Stuttgart, 2022-07-01


Dr.-Ing. Hasan Ozkan
Deputy head of Certification Body



 **DAkkS**

Deutsche
Akkreditierungsstelle
D-ZE-11027-05-00

Annex to the Certificate No. 036-03.310

Product **GUTEX Multitherm**

Reaction to fire class according to EN 13501-1 **E**
Nominal Value of Thermal Conductivity $\lambda_D = 0,040 \text{ Wm}^{-1}\text{K}^{-1}$
Thickness **40 mm – 200 mm**

Designation Code **WF-EN 13171-T4-DS(70,-)2-CS(10/Y)70-TR7,5-WS1,0-MU4-AFr100**

Relevant Characteristics
for the intended use as thermal insulating material of buildings (ThIB)

Symbol	Characteristic	Standard	Unit	Declaration
E	reaction to fire	EN 13501-1	--	E
λ_D	nominal value of thermal conductivity	EN 12667	$\text{Wm}^{-1}\text{K}^{-1}$	0,040
T	class of thickness tolerances	EN 823	--	4
DS(70,-)	dimensional stability at 70°C	EN 1604	%	2
CS(10/Y)	compressive stress at 10 % deformation	EN 826	kPa	70
TR	tensile strength perpendicular to faces	EN 1607	kPa	7,5
WS	short term water absorption	EN 1609	kg/m^2	1,0
MU	water vapour diffusion resistance factor	EN 12572	--	4
AFr	airflow resistivity	EN 29053	$\text{kPa}\cdot\text{s/m}^2$	100

Stuttgart, 2022-07-01

