

# CERTIFICATE

No. 036-03.308

Certificate Holder **GUTEX Holzfaserplattenwerk  
H. Henselmann GmbH & Co KG  
Gutenberg 5  
79761 Waldshut-Tiengen  
Germany**

Manufacturing Plant **Gutenberg**

Product **GUTEX Thermowall-L  
Wood fiber thermal insulation board**

Test Specification **European Insulation Keymark Scheme for  
Thermal Insulation Products 2.1:2019  
EN 13172:2012  
EN 13171:2012+A1:2015**


Mark of Conformity



Certificate is valid until **ID036  
2025-06-11**

Right of use **This certificate entitles you to use the above conformity mark in connection with the above certificate number.**

Stuttgart, 2023-06-12

  
Dr.-Ing. Hasan Özkan  
Deputy head of Certification Body



Deutsche  
Akkreditierungsstelle  
D-ZE-11027-05-00

Annex to the Certificate No. 036-03.308

Product GUTEX Thermowall-L

Reaction to fire class according to EN 13501-1 E  
Nominal Value of Thermal Conductivity  $\lambda_D = 0,039 \text{ Wm}^{-1}\text{K}^{-1}$   
Thickness 120 mm – 200 mm

Designation Code WF-EN 13171-T5-DS(70,-)3-CS(10/Y)50-TR7,5-WS1,0-MU3-AFr40

Relevant Characteristics  
for the intended use as thermal insulating material of buildings (ThIB)

Symbol	Characteristic	Standard	Unit	Declaration
E	reaction to fire	EN 13501-1	--	E
$\lambda_D$	nominal value of thermal conductivity	EN 12667	$\text{Wm}^{-1}\text{K}^{-1}$	0,039
T	class of thickness tolerances	EN 823	--	5
DS(70,-)	dimensional stability at 70°C	EN 1604	%	3
CS(10/Y)	compressive stress at 10 % deformation	EN 826	kPa	50
TR	tensile strength perpendicular to faces	EN 1607	kPa	7,5
WS	short term water absorption	EN 1609	$\text{kg/m}^2$	1,0
MU	water vapour diffusion resistance factor	EN 12572	--	3
AFr	airflow resistivity	EN 29053	$\text{kPa}\cdot\text{s/m}^2$	40

Stuttgart, 2023-06-12

